

## Primary and export grade determinants table

### Corn, Canada Western/Canada Eastern Yellow, White or Mixed (CW/CE)

Grade name	Standard of quality		Damage		Stones %	Foreign material		Other classes %
	Minimum test weight kg/hL (g/0.5 L)	Degree of soundness	Heated %	Total %		Excreta %	Total Cracked corn and foreign material %	
No. 1 CW/CE	68 (343)	Cool and sweet, uniform size	0.1	3	0.15	0.02	2	5
No. 2 CW/CE	66 (333)	Cool and sweet	0.2	5	0.15	0.02	3	5
No. 3 CW/CE	64 (322)	Cool and sweet	0.5	7	0.15	0.02	5	5
No. 4 CW/CE	62 (311)	Cool and sweet	1	10	0.15	0.02	7	5
No. 5 CW/CE	58 (291)	May have a slight odour, not sour or musty	3	15	0.15	0.02	12	5
Grade, if No. 5 specs not met	<i>Corn, Sample CW/CE (class) Account Light Weight</i>		<i>Corn, Sample CW/CE (class) Account Heated</i>	<i>Corn, Sample CW/CE (class) Account Damaged</i>	2.5% or less— <i>Corn, Rejected (grade) (class) Account Stones or Corn, Sample CE (class) Account Stones</i> Over 2.5%— <i>Corn, Sample Salvage</i>	<i>Corn, Sample CW/CE (class) Account Excreta</i>	50% or less – <i>Corn Sample CW/CE (class) Account CCFM</i> Over 50% - <i>sample Cracked Corn and Foreign Material</i>	Over 5%—Use all other grading criteria and grade as <i>Corn (grade) Mixed</i>

Note: The colour is added to the grade name.