

Wheat, Canada Eastern Soft Red Winter (CESRW)

Grade name	Standard of quality			Foreign material					
	Minimum test weight kg/hL (g/0.5 L)	Variety	Degree of soundness	Ergot %	Excreta %	Matter other than cereal grains %	Sclerotinia %	Stones %	Total %
No. 1 CESRW	76 (370)	Any variety of the class CESRW designated as such by order of the Commission	Reasonably well matured, reasonably free from damaged kernels	0.04	0.01	0.2	0.04	0.03	0.75
No. 2 CESRW	74 (360)	Any variety of the class CESRW designated as such by order of the Commission	Fairly well matured, may be moderately weather-damaged, reasonably free from severely damaged kernels	0.04	0.015	0.3	0.04	0.03	1.5
No. 3 CESRW	69 (335)	Any variety of the class CESRW designated as such by order of the Commission	May be immature or weather-damaged, moderately free from severely damaged kernels	0.04	0.015	0.5	0.04	0.06	3.5
CE Feed	65 (315)	Any class or variety of wheat excluding amber durum	Reasonably sweet, excluded from other grades of wheat on account of damaged kernels	0.10	0.03	1	0.25	0.10	10
Grade, if specs for CE Feed not met	<i>Wheat, Sample CE Account Light Weight</i>			<i>Wheat, Sample CE Account Ergot</i>	<i>Wheat, Sample CE Account Excreta</i>	<i>Wheat, Sample CE Account Admixture</i>	<i>Wheat, Sample CE Account Admixture</i>	2.5% or less- <i>Wheat, Sample CE Account Stones</i> Over 2.5%- <i>Wheat, Sample Salvage</i>	See <i>Mixed grain</i>

Note: Samples of CESRW will be graded no lower than No. 3 C.E. account mildew

Wheat, Canada Eastern Soft Red Winter (CESRW), continued

Grade name	Contrasting classes %	Artificial stain, no residue %	Dark immature %	Degermed %	Fireburnt %	Fusarium damage %	Grass green %	Grasshopper, armyworm %	Heated	
									Binburnt, severely mildewed, rotted, mouldy %	Total %
No. 1 CESRW	1	Nil	1	4	Nil	1.0	0.75	1	0.020	0.1
No. 2 CESRW	3	0.03	2.5	7	Nil	1.0	2.0	3	0.050	0.75
No. 3 CESRW	5	0.07	10	10	Nil	1.5	4.0	5	0.10	2.0
CE Feed	No limit—but not more than 10% amber durum	2.0	No limit	No limit	2.0	5.0	No limit	No limit	2.50	2.5
Grade, if specs for CE Feed not met	50% or less amber durum—Wheat, Sample CE Account Admixture	Wheat, Sample CE Account Stained Kernels			Wheat, Sample CE Account Fireburnt	Wheat, Sample CE Account Fusarium Damage			Wheat, Sample CE Account Heated	Wheat, Sample CE Account Heated

Grade name	Natural stain %	Pink %	Sawfly, midge %	Shrunken and broken (**)			Smudge and blackpoint			Sprouted %
				Shrunken %	Broken %	Total %	Smudge		Total %	
							Penetrated smudge %	Total %		
No. 1 CESRW	0.5	1.5	2	6	6	7	0.03	0.3	10	0.5
No. 2 CESRW	2	5	8	10	10	11	0.5	1.0	20	2.5
No. 3 CESRW	5	10	15	12	10	13	1.0	5.0	35	8.0
CE Feed	No limit	No limit	No limit	No limit	50	No limit within broken tolerances	No limit	No limit	No limit	No limit
Grade, if specs for CE Feed not met					Sample Broken Grain					

(**) See truncation rule for "Shrunken and Broken"